

Certificate KIP-08351



Issue date	03-08-2026	Replaces	KIP-17530
PIN	0476DO1915	Report number	2011915/1
Valid from	03-08-2026	Due date	02-08-2036
Module	B (Type testing)	Scope	Reg. (EU) 2016/426 (9 March 2016)

EU TYPE-EXAMINATION CERTIFICATE (GAR)

Kiwa Cermet Italia declares that the central heating condensing boiler, type(s):

VICTRIX ZEUS 25
VICTRIX ZEUS 32


Manufacturer

IMMERGAS S.p.A.
Via Cisa Ligure, 95
42041 - Brescello (RE) - Italy

Meet the essential requirements as described in the
Regulation (EU) 2016/426 relating to appliances burning gaseous fuels.

Reference standard:
EN 15502-1:2021+A1:2023
EN 15502-2-1:2022+A1:2023
CEN/TS 15502-3-1:2024

This certificate is only valid in combination with the appendix to this certificate, where specific information and/or conditions are given.

Kiwa Cermet Italia S.p.A.
Product Certification and Testing Director

Luigi Rindone

Firmato
digitalmente
Luigi
Rindone

Certificate
KIP-08351

Issue date	03-08-2026	Replaces	KIP-17530
PIN	0476DO1915	Report number	2011915/1
Valid from	03-08-2026	Due date	02-08-2036
Module	B (Type testing)	Scope	Reg. (EU) 2016/426 (9 March 2016)

APPENDIX TO EU TYPE- EXAMINATION CERTIFICATE (GAR)

Brand name:
IMMERGAS

Types:

Model name	Nominal heat input (Hi) Qmax - Qmin (kW)	
	CH	DHW
VICTRIX ZEUS 25	20,8 – 3,2	25,6 – 3,2
VICTRIX ZEUS 32	29,0 – 4,3	33,1 – 4,3

Appliance types:

B₂₃, B_{23P}, B₃₃, B₅₃, B_{53P}, C₁₃, C₃₃, C₄₃, C₅₃, C₆₃, C₈₃, C₉₃, C_{13X}, C_{33X}, C_{43X}, C_{53X}, C_{63X}, C_{83X}, C_{93X}

Countries:

AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GR, HR, HU, IE, IT, LT, LU, LV, MT, NO, NL, PL, PT, RO, SE, SI, SK, TR

Gas groups:

Group	mbar	Group	mbar	Group	mbar
E	20	HY20	20; 25	Ls	13
H	20; 25	E(S)	20	M	20
EY20	20	Lw	20	P	37

The above gas groups can be combined according to the standard EN437:2021 and national situation of countries.

Note: Suffix “Y20” means that the appliances are suitable for the use of natural gas of the indicated gas group, mixed with hydrogen resulting in a gas mixture containing up to 20% of Hydrogen gas (H₂) when the appliance is set for the reference gas G₂₀.

Remarks:

The appliances are suitable to operate with gases of category I_{NY20Z192}, according to the information given in the technical specification CEN/TS 15502-3-1:2024. The suffix “Z192” indicates a Wobbe bandwidth of 19,2 MJ/m³. This means that the appliances are suitable for use with natural gases of groups E - H - Lw - EY20 - HY20, covering a Wobbe range from 35,5 MJ/m³ to 54,7 MJ/m³.

The validity of this certificate can be verified on request at the following e-mail address: info@kiwacermet.it
This certificate will expire if there have been any changes to the product that may have an impact on compliance with the requirements of the Directive. This certificate will expire if there have been any updates and / or changes to the Technical Standards applicable unless specifically approved by Kiwa Cermet Italia.
Any total or partial reproduction of this document in any form, without Kiwa Cermet Italia express authorization, is prohibited.

Certificate
KIP-08352**kiwa**

Issue date	03-08-2026	Replaces	KIP-17531
PIN	0476DO1915	Report number	2011915/1
Module	B (Type testing)	Scope	Art.4 of No.813/2013 (2-8-2013) and 92/42/EEC (21-05-1992)

EC TYPE-EXAMINATION CERTIFICATE (BED/R813)

Kiwa Cermet Italia, notified body for council Directive 92/42/EC, hereby declares that the central heating condensing boiler, type(s):

VICTRIX ZEUS 25
VICTRIX ZEUS 32**Manufacturer****IMMERGAS S.p.A.****Via Cisa Ligure, 95****42041 - Brescello (RE) - Italy**

Meet the requirements regarding useful efficiencies according to **article 4 of commission regulation (EU) No. 813/2013** and as described in the **Directive 92/42/EEC on efficiency requirements**.

Reference standard:
EN 15502-1:2021+A1:2023
EN 15502-2-1:2022+A1:2023
CEN/TS 15502-3-1:2024

This certificate is only valid in combination with the appendix to this certificate, where specific information and/or conditions are given.

Kiwa Cermet Italia S.p.a.
Product Certification and Testing Director
Luigi Rindone
Firmato digitalmente
da:
Luigi
Rindone

Certificate

KIP-08352

Issue date	03-08-2026	Replaces	KIP-17531
PIN	0476DO1915	Report number	2011915/1
Module	B (Type testing)	Scope	Art.4 of No.813/2013 (2-8-2013) and 92/42/EEC (21-05-1992)

APPENDIX TO EU TYPE-EXAMINATION CERTIFICATE (BED/R813)

Brand name:
IMMERGAS

Specifications:
Model(s):
VICTRIX ZEUS 25

Condensing boiler: yes
Range rated: yes
Low-temperature boiler: no
B1 boiler: no
Combination heater: yes

	Symbol	Value	Unit
Useful heat output			
At rated heat output and high-temperature regime (*)	P ₄	20,0	kW
At 30 % of rated heat output and low-temperature regime (**)	P ₁	6,7	kW
Useful efficiencies (GCV)			
At rated heat output and high-temperature regime (*)	η_4	87,3	%
At 30 % of rated heat output and low-temperature regime (**)	η_1	96,2	%
Useful efficiencies (NCV)			
At rated heat output and high-temperature regime (*)	η_{100}	97,0	%
At 30 % of rated heat output and low-temperature regime (**)	η_{30}	106,8	%
(*)	High-temperature regime means 60 °C return temperature at heater inlet and 80 °C feed temperature at heater outlet.		
(**)	Low temperature means for condensing boilers 30 °C, for low-temperature boilers 37 °C and for other heaters 50 °C return temperature (at heater inlet).		
(GCV)	Calculated values are based on Gross calorific value (reference conditions:15 °C, 1013,25 mbar)		
(NCV)	Calculated values are based on Net calorific value (reference conditions:15 °C, 1013,25 mbar)		

Certificate

KIP-08352

Issue date	03-08-2026	Replaces	KIP-17531
PIN	0476DO1915	Report number	2011915/1
Module	B (Type testing)	Scope	Art.4 of No.813/2013 (2-8-2013) and 92/42/EEC (21-05-1992)

APPENDIX TO EU TYPE-EXAMINATION CERTIFICATE (BED/R813)

Brand name:
IMMERGAS

Specifications:
Model(s):
VICTRIX ZEUS 32

Condensing boiler: yes
Range rated: yes
Low-temperature boiler: no
B1 boiler: no
Combination heater: yes

	Symbol	Value	Unit
Useful heat output			
At rated heat output and high-temperature regime (*)	P ₄	28,0	kW
At 30 % of rated heat output and low-temperature regime (**)	P ₁	9,4	kW
Useful efficiencies (GCV)			
At rated heat output and high-temperature regime (*)	η_4	87,0	%
At 30 % of rated heat output and low-temperature regime (**)	η_1	97,1	%
Useful efficiencies (NCV)			
At rated heat output and high-temperature regime (*)	η_{100}	96,6	%
At 30 % of rated heat output and low-temperature regime (**)	η_{30}	107,8	%
(*)	High-temperature regime means 60 °C return temperature at heater inlet and 80 °C feed temperature at heater outlet.		
(**)	Low temperature means for condensing boilers 30 °C, for low-temperature boilers 37 °C and for other heaters 50 °C return temperature (at heater inlet).		
(GCV)	Calculated values are based on Gross calorific value (reference conditions:15 °C, 1013,25 mbar)		
(NCV)	Calculated values are based on Net calorific value (reference conditions:15 °C, 1013,25 mbar)		

The validity of this certificate can be verified on request at the following e-mail address: info@kiwacermet.it

This certificate will expire if there have been any changes to the product that may have an impact on compliance with the requirements of the Directive. This certificate will expire if there have been any updates and / or changes to the Technical Standards applicable unless specifically approved by Kiwa Cermet Italia.

Any total or partial reproduction of this document in any form, without Kiwa Cermet Italia express authorization, is prohibited.